



C3

OXIDE PRIMER

HIGH QUALITY ALKYD BASED ANTI-CORROSION PRIMER FOR IRON & STEEL

PRIMER ANTI CORROSION

OXIDE PRIMER is a high quality, alkyd based primer with excellent coverage. It contains zinc phosphate to give better anti-corrosion properties. It is suitable for iron and steel and pretreated galvanized steel. Available in Grey and Red colors.

PRODUCT INFORMATION

- After suitable surfaces preparation, apply 1 or 2 coats of OXIDE PRIMER
- if the surface has been blast cleaned Finish with an appropriate over coat.

SURFACE PREPARATION

- Ensure surfaces are sound, dry and free from grease, wax and oil.
- In case of iron and steel, remove all loose scale and rust by thorough scraping and wire brushing. Where necessary, surfaces, should be blast cleaned.

PRECAUTION

- Flammable.
- Ensure good ventilation during application and drying.
- If swallowed seek medical advice. Wear suitable mask and eye protective goggles.
- Avoid contact with direct sunlight.

CONTACT

FOR MORE INFORMATION, PLEASE CONTACT PHONE NO 0096626204224

INSTRUCTION FOR USE

COVERAGE	Approx 13m ² /Kg@30mic dft
APPLICATION	Brush/Roller/Spray
THINNER	White Spirit
DRYING	Min 1 hour touch dry
RECOATING	After 6-10 Hours
CLEANING OF TOOLS	White Spirit
FLASHPOINT	40 °C
DENSITY	1.12+0.02g/cm ³



LEGAL DISCLAIMER: Polywed endeavors to ensure that any advice, recommendations, information it may give, is accurate and correct. It cannot accept any liability either directly or indirectly arising from the use of its products, because it has no direct or continuous control over where or how its products are applied, whether or not in accordance with any advice, specification, recommendation or information given by us. Polywed has the right to change any of the specifications mentioned in the Technical data sheets upon its discretion without prior notification. Hard copies of the Technical Data sheets are printed once or twice a year, while our technical data sheets are continuously being updated as per R&D improvements and new 3rd party testing; kindly refer to our website for the latest updated of the technical Data Sheets.